



1601 McCloskey Boulevard

# MATERIAL SAFETY DATA SHEETS

Hookers Point – Tampa, Florida 33605-6710 U.S.A.

E-MAIL [info@xcellube.com](mailto:info@xcellube.com)

Telephone: 813-248-1988 Facimilie: 813-241-9533

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**GENERIC NAME:** Automatic Transmission Fluid

**ISSUE DATE:** January 24, 2001

**THIS GENERIC MSDS REPRESENTS THE FOLLOWING PARTS PLUS PRODUCTS:**

1. Parts Plus® ATF - Dexron-III/Mercon

<u>COMPONENTS</u>	<u>CAS#</u>	<u>%</u>	<u>HAZARD DATA</u>
Refined Petroleum Distillates	64341-89-5 64741-88-4	>80	Oral LD50(rat):>5g/kg Eye: Practically Non-Irritating Skin: Non-Irritating Practically Non-Irritating l <sub>h</sub> l <sub>n</sub> LC50/4H(rat): >5mg/L
Anti-oxidant and anti-wear agents	Mixture	<20	Dermal: Irritant Eye Irritant Dermal: Possible allergen
Dye, Red	Mixture	<0.1	Oral LD50(rat): 12.6g/kg Dermal: LD50(rabbit): 10.2g/kg

**SYNONYMS / GENERAL NAMES:** Automatic Transmission Fluid

**24 HOUR EMERGENCY TELEPHONE:** (CHEMTREC) 800-424-9300

**TECHNICAL INFORMATION:** 813-248-1988

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

**HAZARDOUS INGREDIENTS:** None

**CAS NUMBER:** NA

## 3. HAZARDOUS IDENTIFICATION

**ROUTES OF ENTRY:** Inhalation of incidental mists or vapors.

**TARGET ORGANS:** NA

**IRRITANCY:** Eye contact might result in slight irritation. Skin contact might result in slight irritation, possible mild allergen. Subcutaneous or intramuscular injection may cause irritation, erythema, or edema.

**REPRODUCTIVE EFFECTS:** NA

**CANCER INFORMATION:** NA

**SEE SECTION 11 FOR COMPLETE HAZARD INFORMATION**

## 4. FIRST AID MEASURES

**EYES:** Flush with large volumes of water.

**DERMAL:** Wash with soap and water, until all traces of material are removed.

**INGESTION:** Do not induce vomiting. Seek medical aid.

**INHALATION:** Remove from exposure to incidental fumes and provide respiratory support if necessary.

**INJECTION:** Seek medical aid.

NA - NOT APPLICABLE

ND - NO DATA

NE - NOT ESTABLISHED

## 5. FIRE FIGHTING MEASURES

**FLASH POINT, °C (°F):** 186°C (367°F)

REVISED: 00/00

**FLAMMABLE LIMITS (% BY VOLUME IN AIR):** LOWER: NA UPPER: NA  
**EXTINGUISHING MEDIA:** CO<sub>2</sub>, dry chemical, foam, water fog  
**SPECIAL FIRE FIGHTING PROCEDURES:** None  
**AUTOIGNITION TEMPERATURE:** NA  
**EXPLOSION DATA:** NA  
**NFPA RATING<sup>1</sup>:** HEALTH:1 FLAMMABILITY:1 REACTIVITY:0

## 6. ACCIDENTAL RELEASE MEASURES

**SPILL PROCEDURES:** Small Spills - Take up with non-combustible absorbent such as Fuller's earth or sand. Place into containers for later disposal. Large Spills: Contain spill of product or used oil in earthen dikes for later recovery. Control ignition sources around spill area. Report spills as required to appropriate authorities.

## 7. HANDLING AND STORAGE

**HANDLING PROCEDURES:** Inspect empty containers before use. They may contain product residue which could include flammable and explosive vapors.

**STORAGE PROCEDURES:** Keep container away from heat and flame.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use in well ventilated area. In confined space, mechanical ventilation may be required to keep levels of certain components below mandated standards, as evaluated by designated personnel.

**GLOVES PROTECTION:** Oil impervious gloves, rubber or polymer, if frequent or prolonged contact is expected.

**EYE PROTECTION:** Safety glasses

**RESPIRATORY PROTECTION:** If high concentrations of mists or fumes are expected, use approved organic respirator.

**CLOTHING RECOMMENDATION:** Wear body-covering garments to prevent prolonged or repeated direct dermal exposure. Launder work clothes before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Red liquid

**ODOR:** Mild petroleum odor

**pH of Undiluted Product:** NA

**VAPOR PRESSURE, mm Hg (25 °C):**  $\sim 2 \times 10^{-3}$

**VAPOR DENSITY:** >1

**MELTING POINT:** NA

**BOILING POINT, 760 mm Hg, °C:**  $\sim 308^{\circ}\text{C}$  ( $\sim 587^{\circ}\text{F}$ )

**SOLUBILITY IN WATER:** Negligible

**SPECIFIC GRAVITY (60//60 °F)(H<sub>2</sub>O = 1):** 0.87

**EVAPORATION RATE (n-BUTYL ACETATE = 1):** <1

**VISCOSITY:** NA

**PERCENT VOLATILE:** Negligible

## 10. STABILITY AND REACTIVITY

**STABILITY:** Stable

**INCOMPATIBILITY:** Strong Oxidants

**POLYMERIZATION:** None

**HAZARDOUS DECOMPOSITION PRODUCTS:** CO<sub>2</sub> (CO under incomplete combustion)

NA - NOT APPLICABLE

ND - NO DATA

NE - NOT ESTABLISHED

**11. TOXICOLOGICAL INFORMATION****-- ACUTE EXPOSURE --**

**ORAL TOXICITY:** Low toxicity. If less than 1 oz. is ingested, material may pass through the system without harm. On ingestion of large quantities, slight GI discomfort, diarrhea, and/or headache may occur.

**EYE IRRITATION:** Transient, slight irritation.

**INJECTION:** Subcutaneous or intramuscular injection may cause irritation, erythema, or edema.

**INHALATION TOXICITY:** Low risk at ambient temperatures. Mists or fumes may cause dizziness, headache, nausea, respiratory irritation, or chemical pneumonitis.

**DERMAL CONTACT:** Transient, slight irritant, possible mild allergen.

**-- CHRONIC EXPOSURE --**

**CHRONIC TOXICITY:** NA

**CARCINOGENICITY:** NA

**MUTAGENICITY:** NA

**DERMAL:** Prolonged and repeated exposure may cause drying of the skin.

**12. HEALTH INFORMATION**

**HMIS CODE<sup>ii</sup>:** HEALTH: 1 FIRE: 1 REACTIVITY: 0

**PRECAUTIONARY LABELS:** CAUTION: Possible minor allergen.

**13. DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:** It is the responsibility of the user to determine if the material is a hazardous waste at the time of disposal. Check before disposing to be sure you are in compliance with all applicable laws and regulations. RCRA Emergency Hotline Number: 800-424-9346.

**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)**

<b>PROPER SHIPPING NAME:</b>	Petroleum Lubricating Oil
<b>HAZARD CLASS:</b>	Non-Hazardous
<b>HAZARD IDENTIFICATION NUMBER:</b>	None assigned
<b>DOT PLACARD:</b>	None
<b>COMPATIBILITY CATEGORY:</b>	ND

**15. REGULATORY INFORMATION****SARA SECTION 313 - TOXIC CHEMICALS:**

This product does not contain toxic chemicals under SARA Section 313 and 40 CFR Part 372.

<u>COMPONENTS</u>	<u>CAS #</u>	<u>%</u>
NA	NA	NA

**SARA SECTION 311 - HAZARD CATEGORIES:**

This product may meet one or more of the criteria for the hazard categories defined in 40 CFR Part 370 as established by Sections 311 and 312 of SARA as indicated below:

NO	<b>IMMEDIATE (ACUTE) HEALTH HAZARD</b>	NO	<b>SUDDEN RELEASE OF PRESSURE HAZARD</b>
NO	<b>DELAYED (CHRONIC) HEALTH HAZARD</b>	NO	<b>REACTIVE HAZARD</b>
NO	<b>FIRE HAZARD</b>		

**SARA SECTION 302 - EXTREMELY HAZARDOUS WASTE**

This product is not known to contain any components in concentrations greater than one percent that are listed as Extremely Hazardous Substances in 40 CFR Part 355 pursuant to the requirements of Section 302(a) of SARA.

**CLEAN WATER ACT (CWA):**

Under the CWA, discharges of crude oil and petroleum products to surface water without proper Federal and State permits must be reported immediately to the National Response Center at (800) 424-8802.

**CERCLA HAZARDOUS SUBSTANCES:**

As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a hazardous substance.

NA - NOT APPLICABLE

ND - NO DATA

NE - NOT ESTABLISHED

REVISED: 00/00

Page 3 of 4

**U.S. TSCA INVENTORY:**

All components of this material are on the US TSCA Inventory.

**16. OTHER INFORMATION**

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. AMALIE OIL CO. BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.

---

<sup>i</sup> NFPA HAZARD RATING:	least - 0	slight - 1	moderate - 2	high - 3	extreme - 4
<sup>ii</sup> HMIS HEALTH RATING:	least - 0	slight - 1	moderate - 2	high - 3	extreme - 4

NA - NOT APPLICABLE

ND - NO DATA

NE - NOT ESTABLISHED